

To:
"Young, Gregory W" <Gregory.W.Young@wv.gov>,
Cc:

Bcc:

Subject:
Re: Certification Expansion request
From:
Joe Slayton/ESC/R3/USEPA/US - Tuesday 11/08/2011 10:46 AM

GregY: Could you highlight in the attachments the official PT with supporting raw data? Saw several ERA items but was not clear on the raw data and if these were simply second sources for the DOCs. Also, if you have additional bench sheets/notebooks used will need that supporting data as well.

JoeS

From: "Young, Gregory W" <Gregory.W.Young@wv.gov>
To: Joe Slayton/ESC/R3/USEPA/US@EPA
Date: 11/07/2011 04:25 PM
Subject: Certification Expansion request

Hi Joe, Finally got everybody's signatures for the new SEAL Discrete Analyzer. Attached are the Initial Demonstration of Capabilities for Nitrate, Nitrite, and Combined Nitrate + Nitrite. I'm also including the ERA QTA 081911B Proficiency Testing Water Study report which you should have already received directly from ERA.

We are requesting the following certification expansions.

- 1) Nitrate by SEAL Alternate Testing Procedure (ATP) Method EPA-126-A Revision 5
- 2) Combined Nitrate + Nitrite by SEAL Alternate Testing Procedure (ATP) Method EPA-126-A Revision 5
- 3) Nitrite by SEAL Alternate Testing Procedure (ATP) Method 2-013-1-H

If you need anything please let me know.

Gregory W. Young, HHR Program Manager
Chief Laboratory Certification Officer – Chemistry

WVDHHR – Office of Laboratory Services
Environmental Chemistry Section
4710 Chimney Drive Suite G
Charleston WV 25302

(304)965-2694, x2222
<http://www.wvdhhr.org/labservices/>

"Confidentiality Notice: This message, including any attachments, is for the sole use of the individual or entity named above. The message may contain confidential health and/or legally privileged information. If you are not the above-named recipient, you are hereby notified that any disclosure, copying, distribution, or action taken in reliance on the contents of this message is strictly prohibited. If you have received this message in error, please notify the sender immediately and destroy all copies of the original message."

[attachment "EPA SEAL ATP Letter D02-0007 and D02-0006.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "EPA SEAL ATP Letter D06-0033 and D06-0034.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "Seal ATP IDC Data - Combined NO3_NO2 MDL.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "Seal ATP IDC Data - Combined NO3_NO2 PA.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "Seal ATP IDC Data - Combined NO3_NO2 Unknown.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "Seal ATP IDC Data - Nitrate MDL.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "Seal ATP IDC Data - Nitrate PA.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "Seal ATP IDC Data - Nitrate Unknown.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "Seal ATP IDC Data - Nitrite MDL.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "Seal ATP IDC Data - Nitrite PA.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "Seal ATP IDC Data - Nitrite Unknown.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "SEAL Method 2-013-1-H.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "SEAL Method EPA-126-A Rev 5.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "SOP 353_2AQ2ATP.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US] [attachment "ERA QTA 081911B Final Report.pdf" deleted by Joe Slayton/ESC/R3/USEPA/US]